



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/754,775	01/04/2001	David J. Grainger	295.009US3	6351
45837 7590 02/03/2009 SCHWEGMAN, LUNDBERG & WOESSNER/NEORX PO BOX 2938 MINNEAPOLIS, MN 55402				
EXAMINER KIM, JENNIFER M				
ART UNIT		PAPER NUMBER		
1617				
MAIL DATE		DELIVERY MODE		
02/03/2009		PAPER		

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Office Action Summary

Application No.

09/754,775

Applicant(s)

GRAINGER ET AL.

Examiner

JENNIFER MYONG M. KIM

Art Unit

1617

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 03 November 2008.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 173-177, 179-194, 196-200, 202, 203, 205, 206, 231 and 234 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 173-177, 179-194, 196-200, 202, 203, 205, 206, 231 and 234 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- 1) ☒ Notice of References Cited (PTO-892)
- 2) ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- 3) ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 11/3/2008
- 4) ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date _____
- 5) ☐ Notice of Informal Patent Application
- 6) ☐ Other: _____

DETAILED ACTION

A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on November 3, 2008 has been entered.

Double Patenting

The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. See *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and, *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent is shown to be commonly owned with this application. See 37 CFR 1.130(b).

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Claims 173-177, 179-194, 196-200, 202,203,205,206, 231 and 234 are provisionally rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claims 153-173 of copending Application No. 10/729,056. Although the conflicting claims are not identical, they are not patentably distinct from each other because the copending Application teaches an aspect of the claims in the instant application. For example, the method of claim 173 in the present application is similar to the method claimed in claim 153-173 utilizing same biological pathway comprising increasing the level of TGF-beta encompassing utilized same active agents. The copending application teaches the mechanisms of action or biological pathways presently claimed by Applicants and renders obvious the diseased claimed in the instant application.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

Claims 200, 202, 203, 205 and 206 are rejected under the judicially created doctrine of obviousness-type double patenting as being unpatentable over claim 8 of U.S. Patent No. 6,410,587B1 in view of Grainger et al. (WO 94/26303) of record.

Although the conflicting claims are not identical, they are not patentably distinct from each other because the patent disclose and teach an aspect of the claims in the present application in view Grainger et al. Both sets of claims encompass

administration of the same active agent (a structural analog of tamoxifen) to the same subject (a mammal at risk of or afflicted with a cardiovascular or vascular indication, e.g. atherosclerosis or in need of lowering serum cholesterol). Grainger et al. teach that atherosclerosis is a disease characterized by a reduced vessel lumen diameter. (abstract).

Therefore, any mechanism of action of increasing the level of TGF-beta is obvious upon administration of the same active agent to the same subject encompasses by the claims.

Claims 173-177, 179-194, 196-200, 202-203, 205, 206, 231 and 234 are rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claims 1-16 of U.S. Patent No. 5,847,007 of record in view of Chander et al. (1991) of record.

Although the conflicting claims are not identical, they are not patentably distinct from each other because the patent disclose and teach an aspect of the claims in the present application. Both sets of claims encompass administration of the same active agent (a structural analog of tamoxifen) to the same subject (a mammal at risk of or afflicted with a cardiovascular or vascular indication such as atherosclerosis) for purpose of increasing TGF-beta level. The patent does not expressly teach the specific tamoxifen analog (i.e. idoxifene), however, the employment of a structural analog of tamoxifen such as idoxifene would have been obvious variations of the other to one of

Art Unit: 1617

ordinary skill in the art since it is well known in view Chander et al. that idoxifene (pyrrolidino-4-iodotomoxifen) is a new analogue of tamoxifen (see title).

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 173-175, 177, 179-181, 196-200, 203, 205 and 206 are rejected under 35 U.S.C. 102(b) as being anticipated by Ito et al. (WO 94/09764) evidenced by Schilling (1975).

Ito et al. teach that use of Nonsteroidal anti-estrogen compound such as toremifene is effective remedy for the treatment of blood vessels disease such as angitis. (page 1, first two paragraphs, page 3, lines 5-25). Ito et al. teaches parenteral administration. (page 5, lines 10-12). It is noted that Applicants "locally" administration was employed by catheter (see specification page 2, and page 18) which is encompassed by the parenteral administration taught by Ito et al. Ito et al. also teaches the compounds can be formulated in the various preparations such as liquid, emulsion and powder. (page 6, lines 15-20).

Schilling teaches that angitis mainly affect small to average size arteries. Schilling reference is employed as an extrinsic evidence to show that angitis is a small vessel disease.

Claim Rejections - 35 USC § 103

The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.

Claims 173-175, 177, 179-181, 196-200, 203, 205, 206 and 231 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sawada et al. (Pharmacometrics, 1992).

Sawada et al. teach the administration of toremifene citrate (NK622) in 0.1 mg/kg or more including 10mg/kg (cytostatic dose) to female rats showed decrease in total cholesterol in rats.

Sawada et al. do not teach a mammal at risk of or afflicted with cardiovascular or vascular indication (atherosclerosis) or mechanism of increasing the level of TGF-beta to decrease lesion formation or inhibition of lipid accumulation, and dosage formulation and the employment of analogs set forth in claim 176.

It would have been obvious to one of ordinary skill in the art to employ toremifene citrate (NK622) in 0.1 mg/kg or more including 10mg/kg (cytostatic dose) to a mammal at risk or afflicted with cardiovascular or vascular indication such as atherosclerosis. One would have been motivated to employ toremifene citrate (NK622) in 0.1 mg/kg or

more including 10mg/kg (cytostatic dose) to a mammal at risk or afflicted with cardiovascular or vascular indication such as atherosclerosis because Sawada et al. teach the administration of toremifene citrate (NK622) in 0.1 mg/kg or more including 10mg/kg (cytostatic dose) to female rats showed decrease in total cholesterol in rats. One would be further motivated to make such a modification in order to achieve an expected benefit of lowering total cholesterol level in a mammal suffering from atherosclerosis. The pharmaceutical forms, e.g., sustained release, immediate release etc; mode of administration e.g. local, flavors, surfactant are all deemed obvious since they are all within the knowledge of the skilled pharmacologist and represent conventional formulations and modes of administration. Further, the reference discloses compounds which have a viable utility and are homolog, isomers or close structural analogs of the claimed compounds. The claimed compounds are so closely related structurally to the homologous; isomeric or analogous compounds of the reference as to be structurally obvious therefrom in the absence of any unobvious or unexpected properties especially since one of ordinary skill in the art would expect that compounds so closely related structurally would have the same or essentially the same properties. That applicant may have determined a mechanism by which the active ingredient gives increasing the level of TGF-beta to decrease lesion formation or inhibition of lipid accumulation does not alter the fact that the compound has been previously used to obtain the same pharmacological effects (lowering total cholesterol) which would result from the claimed method upon the administration of same active agent in a same amount to the mammal in need thereof. An explanation of why that

effect occurs does not make novel or even unobvious the treatment of the conditions encompassed by the claims.

Claims 176, 182, 192, 194, 202, 205 and 206 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ito et al. (WO 94/09764).

Ito et al. teach that use of Nonsteroidal anti-estrogen compound such as toremifene is effective remedy for the treatment of blood vessels disease such as angitis (small vessel disease). (page 1, first two paragraphs).

Ito et al do not teach specific tamoxifen analogs such as idoxifene and doroloxifene and the subjects having medical conditions such as diabetic retinopathy or diabetes.

It would have been obvious to one of ordinary skill in the art employ toremifene and its analogs such as idoxifene or doroloxifene for the treatment of angitis (small vessel disease) because Ito et al. teach that toremifene and its discloses analogs of toremifene which have a viable utility of treating angitis and because toremifene is structural analogs of idoxifene or doroloxifene. The claimed compounds are so closely related structurally to the homologous; isomeric or analogous compounds of the reference as to be structurally obvious therefrom in the absence of any unobvious or unexpected properties especially since one of ordinary skill in the art would expect that compounds so closely related structurally would have the same or essentially the same properties.

With regard to the patient suffering from angitis to the comorbid medical conditions such as diabetes or diabetic retinopathy, it would have been obvious to one of ordinary skill in the art to employ toremifene and its structural analogs for the treatment of patient having angitis regardless of their secondary medical condition in order achieve an expected benefit of effectively treating primary medication condition of angitis. With regard to mechanism of action of increasing TGF-beta in a patients afflicted with angitis is obvious because a mechanism by which the active ingredient gives the pharmacological effect does not alter the fact that the compound has been previously used to obtain the same pharmacological effects which would result from the claimed method. The condition to be treated and the effect are the same. An explanation of why that effect occurs does not make novel or even unobvious the treatment of the same conditions encompassed by the claims.

Claims 173-177, 179-194, 196-199, 205 and 206 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yang (U.S. Patent No. 5,445,941).

Yang teaches that antiestrogen such as toremifene is useful for treating osteoporosis because it induce human fetal fibroblast to secrete TGFb in absence of estrogen receptor. (column 2, under antiestrogens, column 4, lines 6-10). Yang teaches that elevated serum levels of low density lipoproteins correlate with increased incidence of coronary artery disease, atherosclerosis and myocardial infarction are noted in women with osteoporosis.

It would have been obvious to one of ordinary skill in the art that the osteoporosis patients disclosed by Yang et al. is at risk of cardiovascular or vascular indication characterized by a decreased lumen diameter because a condition such as osteoporosis correlates with increased incidence of coronary artery disease, atherosclerosis and myocardial infarction as taught by Yang et al. With regard to increasing the level of TGF-beta in the osteoporosis patients disclosed by Yang et al. is obvious because Yang et al. teach that toremifene induced secretion of TGF-beta in the absence of estrogen receptor. One of ordinary skill in the art would be motivated to employ toremifene to a patient having osteoporosis disclosed by Yang et al. regardless of their secondary conditions such as diabetes, diabetic retinopathy, or diabetic retinopathy, in order to achieve an expected benefit of inducing secretion of TGF-beta in treating osteoporosis without the estrogen receptor. With regard to employment of idoxifene or doroloxifene are deemed obvious because the cited reference discloses compounds which have a viable utility and toremifene is structural analogs of the claimed compounds. The claimed compounds are so closely related structurally to the homologous; isomeric or analogous compounds of the reference as to be structurally obvious therefrom in the absence of any unobvious or unexpected properties especially since one of ordinary skill in the art would expect that compounds so closely related structurally would have the same or essentially the same properties.

Claims 173-177, 179-194, 196-200, 202, 203, 205, 206, 231 and 234 are rejected under 35 U.S.C. 103(a) as being unpatentable over Grainger et al. (WO 94/26303) of record in view of Chander et al. of record.

Grainger et al. teach that tamoxifen as well as its functional equivalents, analogs or derivatives thereof are a preferred TGF-beta activator/production stimulator. (page 4, lines 1-5). Grainger et al. teach that these TGF-beta activators and TGF-beta production stimulators are employed to maintain or increase vessel lumen diameter in a diseased or injured vessel of a mammal. (abstract).

Grainger et al. do not teach the employment of the specific structural analog of tamoxifen such as idoxifene.

Chander et al. that idoxifene (pyrrolidino-4-iodotamoxifen) is a new analogue of tamoxifen (see title).

It would have been obvious to one of ordinary skill in the art to employ a structural analogue such as idoxifene for the treatment of a diseases that characterized by a reduced vessel lumen diameter by increasing the level of TGF-beta in a mammal. One would have been motivated to make such a modification because Grainger et al. teach that tamoxifen as well as its functional equivalents, analogues or derivatives thereof are a preferred TGF-beta activator/production stimulator that are useful in increasing vessel diameter in a diseased or injured vessel of a mammal that is characterized by a reduced vessel lumen diameter and because idoxifene and tamoxifen analogues are a preferred TGF-beta activator/production stimulator of Grainger et al. to treat a reduced vessel lumen diameter in a disease. There is a

reasonable expectation of successfully treating a disease characterized by a decreased lumen vessel diameter with idoxifene which is an analog of tamoxifen as a preferred TGF-beta activator/production stimulator as preferred by Grainger et al.

Claims 231 and 234 are rejected under 35 U.S.C. 103(a) as being unpatentable over Yang (U.S. Patent No. 5, 445,941) of record in view of Frank (1991).

Yang teaches that antiestrogen such as tamoxifen or toremifene secrete TGFb. (column 2, under antiestrogens, column 4, lines 6-10).

Yang does not teach the treatment of diabetic retinopathy with tamoxifen structural analogues.

Frank teaches that the pathogenesis of diabetic retinopathy that several growth factors has been identified in the retina that may promote revascularization, however, that transforming growth-factor b (TGF-b), appears to be an important inhibitor of revascularization. (abstract).

It would have been obvious to one of ordinary skill in the art to employ structural analogues of tamoxifen such as toremifene or idoxifene for the treatment of diabetic retinopathy because Yang teaches an analogue of tamoxifen such as toremifene secretes TGF-b and that TGF-b is an important inhibitor of revascularization that is involved in the pathogenesis of diabetic retinopathy. The cited reference discloses compounds which have a viable utility and toremifene is structural analogs of the claimed compounds. The claimed compounds are so closely related structurally to the homologous; isomeric or analogous compounds of the reference as to be structurally

Art Unit: 1617

obvious therefrom in the absence of any unobvious or unexpected properties especially since one of ordinary skill in the art would expect that compounds so closely related structurally would have the same or essentially the same properties. Therefore, one would have been motivated to make such a modification in order to reduce or halt the pathogenesis of diabetic retinopathy by inhibiting revascularization by employment of toremifene or a structural analogues thereof including idoxifene because one of ordinary skill in the art would reasonably also expect the compounds that are so closely related structurally would also secrete TGF- β that is an important inhibitor of revascularization as taught by Frank.

For these reasons the claimed subject matter is deemed to fail to patentably distinguish over the state of the art as represented by the cited references. The claims are therefore properly rejected under 35 U.S.C. 103.

Any rejection of record not addressed herein is withdrawn.

None of the claims are allowed.

Response to Arguments

Applicants' arguments filed November 3, 2008 have been fully considered but they are not persuasive. Applicants argue that the '587 patent is directed to a method for lowering serum cholesterol, where compound of formula (VI) is administered, but in contrast, claim 200 is directed to a method of increasing the level of TGF-beta in a mammal afflicted with a cardiovascular indication characterized by a decreased lumen vessel diameter. This is not found to be persuasive because Grainger et al. (WO94/26303) teaches the treatment of subject population having at risk for atherosclerosis (patient in need of lowering serum cholesterol) in the '587 is the same treatment that encompassed a disease characterized by a decreased lumen vessel diameter. As such, the claims of the instant Application and the patented claims would have been obvious variations of the other to one of ordinary skill in the art. Applicants argues that Sawada et al. disclose that in order to evaluate the safety of toremifene it is expected to be used in the treatment of breast cancer and that toremifene was orally administered to female rats for 52 weeks. This is not found to be persuasive one of ordinary skill in the art would recognize that the route of administration would not change the characteristic effect of the compound. Further, the selection of the route of administration to be used, the pharmaceutical forms, e.g., tablets, etc; mode of administration are all deemed obvious since they are all within the knowledge of the skilled pharmacologist and represent conventional formulations and modes of administration. Applicants argue that Sawada et al. teach that the decrease in cholesterol is part of a general toxic syndrome arising from higher than appropriate dosages of toremifene, which corresponds with suppressed weight gain and a drop in

feed consumption. This is not found to be persuasive because the teaching of Sawada is clear that the effect of decrease in total cholesterol is resulted of orally administered NK622 (toremifene). Applicants' attention is drawn to second paragraph of abstract of Sawada where it states "This experiment yielded the following results... showed decreases in total cholesterol, phospholipid and total protein values in rats receiving 0.1mg/kg or more...". Applicant argues that Ito et al. provide no motivation to employ toremifene or any analogs thereof to treat any disorder other than one associated with autoreactive T cells. This is not found to be persuasive because Ito et al. clearly teach that toremifene is effective remedy for the treatment of blood vessel disease such as angitis which is evidenced by Schilling that it is a small vessel disease. Applicant's subject also having a comorbid diabetes would not change the useful teaching that toremifene is effective remedy for the treatment of blood vessel disease regardless of the subjects comorbid disease.

Applicants argue that Yang does not provide a reasonable expectation that an agent that elevates TGF-beta 1 level or a cytostatic dose of a compound of formula (I), would be useful to treat any disease, such as a cardiovascular or vascular indication characterized by a decrease lumen Diameter. This is not found to be persuasive because Yang teaches that toremifene is useful for treating osteoporosis because it induces human fetal fibroblast to secrete TGFb in absence of estrogen receptor. Yang teaches that elevated serum levels of low density lipoprotein correlate with increased incidence of coronary artery disease, atherosclerosis and myocardial infarction are noted in women with osteoporosis. Further, Yang teaches that transforming growth

factor b, although commonly referred to as a single compound, "TGF b" is actually a family of molecules that now known to include at least three isoforms: TGF b-1, TGFb-2 and TGF-3. (column 3, lines 44-47). Therefore, the claimed invention, as a whole, would have been obvious to one of ordinary skill in the art at the time the invention was made, because every element of the invention has been collectively taught by the combined teachings of the references.

Communication

Any inquiry concerning this communication or earlier communications from the examiner should be directed to JENNIFER M. KIM whose telephone number is (571)272-0628. The examiner can normally be reached on Monday through Friday 6:30 am to 3 pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Sreenivasan Padmanabhan can be reached on 571-272-0629. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should

Art Unit: 1617

you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Jennifer Kim/
Primary Examiner, Art Unit 1617

Jmk
February 2, 2009